EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7483	(access near3 control) same (node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:28
L2	186	L1 same tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:28
L3	2	L2 same (path same leaf same root)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:45
L4	1	L2 same (path same leaf same root) and "6026402".pn. and one	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:43
L5	3	(path same leaf same root) same (access near3 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:11
L6	124	((path same leaf same root) same one) and (access near3 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:21
L7	1	((path same leaf same root) same one) and (access near3 control) and (maximum near3 partial near3 tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:12
L8	5	maximum near3 partial near3 tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:12
L9	4	((path same leaf same root) same one same condition) and (access near3 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:21
L10	53	L6 and (file near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:29

EAST Search History

L11	308168	(one same (chang$4 or modifier or modification or modify or adjustment or edit$4) same (path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:31
L12	8025	(one same (chang$4 or modifier or modification or modify or adjustment or edit$4) same (path)) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:31
L13	704	L12 and (root same leaf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:31
L14	118	L13 and (one with path with leaf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:42
L15	167	(tree near3 node) same (availability or (access near3 control))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:43
L16	32	(tree near3 node) same (node near3 (availability or (access near3 control)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:05
L17	1	"20030110246".pn. and one	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:24
L18	1	"20050289150".pn. and one	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:24
S1	1	(tree or (tree adj3 structure)) same (availability near3 condition) same (access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:28
S2	24	(tree or (tree adj3 structure)) same (availability near3 condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 10:07

9/27/2006 2:11:50 PM
C:\Documents and Settings\pdarno\My Documents\EAST\Workspaces\App No - 10767780\search 09-21-2006.wsp

Page 2

S3	520	(tree or (tree adj3 structure)) same (manag$4 near3 files)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 10:11
S4	70	nodes near3 arranged near3 root near3 node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 10:11
S5	15	nodes near3 arranged near3 root near3 leaf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 10:11
S6	1	S5 and (availability near3 condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 10:12
S7	2	S5 and (access near3 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:36
S8	10340	limit with one with path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:37
S10	1	limit with one with path with root with leaf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:38
S11	1	limit with (one or once) with path with root with leaf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:38
S12	2	(administrative near3 (rule or policy)) same (tree near3 node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:39
S13	0	((administrative near3 (rule or policy)) same (storage near3 node)) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:49

S14	66	((rule or policy) same (storage near3 node)) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:54
S15	33	((rule or policy) same (storage near3 node)) and tree and (file near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 16:36
S16	2	"20040186853".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 16:36

9/27/2006 2:11:50 PM
C:\Documents and Settings\pdarno\My Documents\EAST\Workspaces\App No - 10767780\search 09-21-2006.wsp

Page 4

Google Scholar BETA

tree path root leaf maximum partial tree maxim| | Search |

Scholar All articles Recent articles Results **1 - 10** of about **776** for <u>tree</u> <u>path</u> <u>root</u> <u>leaf</u> <u>maximum</u> <u>partial</u> <u>tre</u>

All Results

<u>A Perrig</u>

<u>T Yu</u>

<u>S Banerjee</u>

<u>Y Hu</u>

<u>P Francis</u>

<u>NetWare 4 as an example of role-based **access control**</u> - group of 2 »
J Epstein, R Sandhu - ... of the first ACM Workshop on Role-based **access control**, 1996 -
portal.acm.org
... file system are organized in a hierarchical **tree**, much as ... to F. For each node N along
the **path**, perform the ... that individuals near the top (ie, **root**) have more ...
<u>Cited by 3</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>Virtual and Dynamic Hierarchical Architecture for E-Science Grid</u> - <u>group of 6</u>
<u>»</u>
H Lican, W Zhaohui, P Yunhe - International Journal of High Performance Computing ...,
2003 - hpc.sagepub.com
... them until the message reaches the **leaf** virtual groups ... load on the coordi- nator
of the **root** virtual group ... 10.1.2.15), and this node has **tree path** all_Science:AI ...
<u>Cited by 12</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Recognizing immediacy in an N-**tree** hierarchy and its application to</u>
<u>protection groups</u> - <u>group of 11</u> »
RS Sandhu - IEEE Transactions on Software Engineering, 1989 - doi.ieeecs.org
... some w such that $w < u$ and $w < v$, that is w is the **root** of a subtree which includes
u and v. Without loss of gen- erality let the **path** in the **tree** from w ...
<u>Cited by 7</u> - <u>Related Articles</u> - <u>Web Search</u>

Tree-based group key agreement - <u>group of 11</u> »
Y Kim, A Perrig, G Tsudik - ACM Transactions on Information and System Security
(TISSEC), 2004 - portal.acm.org
... where each member is required to know all keys on the **path** from itself ... Otherwise,
if the key **tree** is fully balanced, the new member joins to the **root** node. ...
<u>Cited by 51</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>A clustering scheme for hierarchical control in multi-hop wirelessnetworks</u> -
<u>group of 13</u> »
S Banerjee, S Khuller - INFOCOM 2001. Twentieth Annual Joint Conference of the IEEE ...,
2001 - ieeexplore.ieee.org
... The total number of vertices in the **tree** is n . The ... its proof, it will be apparent
that **one** can construct ... to, for gen- eral graphs, is the **maximum** degree of a ...
<u>Cited by 130</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

[PS] <u>The Reflected **Tree** Hierarchy for Protection and Sharing</u> - <u>group of 5</u> »
RS Sandhu - Information Processing Letters, 1989 - ite.gmu.edu
... the **root** to U is to the left or right of the **path** from the **root** to V ... accommodate
reorganization we can back up **one** level in the reected **tree** and reorganize ...
<u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u>

<u>... and simulation of IEEE 802.11 WLAN mobile ad hoc networks using</u>
<u>topology broadcast reverse-**path** ...</u> - group of 2 »
DB Green, MS Obaidat - Computer Communications, 2003 - Elsevier
... in a fully connected network that has **one root** node and ... V) since the minimum hop
broadcast **tree's** longest **path** ... 2 hops, while the shortest broadcast **path** (from B ...

Related Articles - Web Search

Preemption-Based Admission Control in Multimedia Multiparty Communications - group of 4 »
N Shacham - Proc. of INFOCOM'95, 1995 - doi.ieeecomputersociety.org
... a **tree** with the source at its **root** and the ... a stream are forwarded on the same **tree**, and layer ... these preemptible layers are replicated on the **path** for delivery ...
Cited by 11 - Related Articles - Web Search - BL Direct

Policy-Based Cryptographic Key Management: Experience with the KRP Project - group of 3 »
D Branstad, D Balenson - Proceedings of DARPA Information Survivability Conference ... - doi.ieeecomputersociety.org
... The **path** from the **leaf** to its **root** thus specifies ... However, if a **leaf** of a **tree** is turned into a node (ie, additional **policies** can be built subordinated to it ...
Cited by 4 - Related Articles - Web Search

Lottery and Stride Scheduling: Flexible Proportional-Share Resource Management - group of 6 »
CA Waldspurger - 1995 - waldspurger.org
... and Computer Science on September 5, 1995, in **partial** fulfillment of the ... This was during the pre-IBM-PC era when **one** ... 3-6 Dynamic Operations: **Tree**-Based Lottery ...
Cited by 130 - Related Articles - View as HTML - Web Search - Library Search

Goooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

tree path root leaf maximum partial t [Search]

Google Home - About Google - About Google Scholar

Google™
Scholar BETA
tree path root leaf maximum partial tree maxim | Search |

Scholar All articles <u>Recent articles</u> Results **11 - 20** of about **776** for **tree path root leaf maximum partial tr**

All Results

<u>A Perrig</u>
<u>T Yu</u>
<u>S Banerjee</u>
<u>Y Hu</u>
<u>P Francis</u>

<u>Interoperable strategies in automated trust negotiation</u> - <u>group of 10 »</u>
T Yu, M Winslett, KE Seamons - Proceedings of the 8th ACM conference on Computer and
..., 2001 - portal.acm.org
... Given a dis- closure **tree** T,if there is a credential appearing twice in the **path**
from a **leaf** node to the **root**,then we call Ta redundant disclosure **tree**. ...
<u>Cited by 65</u> - <u>Related Articles</u> - <u>Web Search</u>

[BOOK] On the Structure of Delegation Networks - <u>group of 15 »</u>
T Aura - 1997 - Helsinki University of Technology
... is that in order to have effect, any **path** of delegation ... and get a subset of certificates
where the **maximum** length of ... towards k 2 and remove all but **one** of the ...
<u>Cited by 37</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>Library Search</u>

<u>A new hierarchical routing protocol for dynamic multihop wirelessnetworks</u> - <u>group of 4 »</u>
IF Akyildiz, W Yen, B Yener - INFOCOM'97. Sixteenth Annual Joint Conference of the IEEE
..., 1997 - ieeexplore.ieee.org
... D. 2.4 Mark all the MBSs in this **tree** and go ... when combining with the location update
and **path** find- ing ... center (SC maintains an entry only for the **root** MBSs in ...
<u>Cited by 22</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Ontology Guided XML Security Engine</u> - <u>group of 5 »</u>
A Stoica, C Farkas - Journal of Intelligent Information Systems, 2004 - Springer
... the tag's **path** information from the **root** node ... For clarity, we omit the **path** information
unless it ... Procedure uses the ontology class hierarchy **tree** to abstract ...
<u>Cited by 1</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>**Access Control** Inference And Feedback For **Policy** Managers: A Fine-Grained Analysis</u>
RRVS Chakravarthy, M Mohania - doi.ieeecomputersociety.org
... the next level and finally the users (as **leaf** nodes) who ... exists a set of super users'
(eg, **root**, DBA) who ... sets produced by the ssn **path** and the age **path**, we ...
<u>Related Articles</u> - <u>Web Search</u>

<u>A scalable distributed information management system</u> - <u>group of 8 »</u>
P Yalagandula, M Dahlin - Proceedings of the 2004 conference on Applications, ..., 2004 -
portal.acm.org
... Also the corresponding aggregation **tree** is shown ... sat- isfies the **path** locality and
path convergence properties ... each successive enclosing domain's **root** (the vir ...
<u>Cited by 50</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Storing and Retrieving Internet Certificates</u> - <u>group of 12 »</u>
P Nikander, L Viljanen - Proc. 3rd Nordic Workshop on Secure IT Systems, 1998 - nixu.fi
... Sibling nodes cannot have the same label. The domain name of a node is the list
of the labels on the **path** from the node to the **root** of the **tree**. ...
<u>Cited by 21</u> - <u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u>

<u>Supporting structured credentials and sensitive **policies** through</u>

interoperable strategies for ... - group of 7 »
T Yu, M Winslett, KE Seamons - ACM Transactions on Information and System Security
(TISSEC), 2003 - portal.acm.org
... Given a disclosure **tree** T, if there is a credential appearing twice in the **path**
from a **leaf** node to the **root**, then we call T a redundant disclosure **tree**. ...
Cited by 72 - Related Articles - Web Search

Self-stabilizing Quorum Systems for Reliable Document Access in Fully
Distributed Information ... - group of 11 »
DG Informatique - iciadmin.ici.ro
... Considering the network organized into a **tree**, Agrawala and El ... quorums by selecting
paths from the **root** to leaves. ... of sites that belong to a **path** starting from ...
Related Articles - Cached - Web Search

Packet Leashes: A Defense against Wormhole Attacks in Wireless Ad Hoc
Networks - group of 4 »
YC Hu, A Perrig, DB Johnson - Proceedings of INFOCOM, 2003 - monarch.cs.rice.edu
... etc. The **root** value of the **tree** is used to authenticate all **leaf** values. ... v i ,
and all the nodes necessary to verify the **path** up to the **root**. ...
Cited by 126 - Related Articles - View as HTML - Web Search

◀ Gooooooooooogle ▶

tree path root leaf maximum partial t [Search]

Google Home - About Google - About Google Scholar

Google™
Scholar BETA

tree path root leaf maximum partial tree maxim | Search |

Scholar All articles Recent articles Results **21 - 30** of about **776** for **tree path root leaf maximum partial tr**

All Results

A Perrig

T Yu

S Banerjee

Y Hu

P Francis

Packet classification in large ISPs: design and evaluation of decision **tree** classifiers - group of 3 »
E Cohen, C Lund - Proceedings of the 2005 ACM SIGMETRICS international ..., 2005 - portal.acm.org
... et al [17], which proposed a decision **tree** based scheme ... We start with the **root** node that has all rules ... At any point we consider a (currently a **leaf**) node and ...
Cited by 4 - Related Articles - Web Search - BL Direct

ELK, a new protocol for efficient large-group key distribution - group of 14 »
A Perrig, D Song, JD Tygar - Proceedings of the IEEE Symposium on Security and Privacy, 2001 - doi.ieeecs.org
... sequentially from the **leaf** up to the **root** key. ... in the key update message (assuming our key **tree** is bal ... will help ½ ¾ of the members to update their key **path**. ...
Cited by 129 - Related Articles - Web Search - BL Direct

X-gtrbac admin: A decentralized administration model for enterprise-wide **access control** - group of 7 »
R Bhatti, B Shafiq, E Bertino, A Ghafoor, JBD ... - ACM Transactions on Information and System Security (TISSEC), 2005 - portal.acm.org
... This leaves much to be desired, since an ad- ministration ... Roles are related according to a **partial** order, which ... A constraint evaluates to true in **one** of the ...
Cited by 6 - Related Articles - Web Search

Principle for high speed network control: congestion-and deadlock-freeness, self-routing, and a ...
Y Ofek, M Yung - Proceedings of the ninth annual ACM symposium on Principles ..., 1990 - portal.acm.org
... destina: tion identification (ID) when it leaves the source. ... in the known (or assumed) direct **path** to the ... be verified by finding a Spanning **Tree** and traversing ...
Cited by 31 - Related Articles - Web Search

[PS] Yoid: Extending the Internet Multicast Architecture - group of 14 »
P Francis - Unpublished paper, available at http://www. aciri. org/yoid/ ..., 2000 - icir.org
... Evolutionary **Path** (or, the Chicken-and-Egg Problem) Yoid ... may transitionally be zero or more than **one root**, but in ... that must occur when a member quits the **tree**. ...
Cited by 181 - Related Articles - View as HTML - Web Search

[PS] Discovery of Multi-Level Security **Policies** - group of 4 »
CY Chung, M Gertz, K Levitt - Proceedings of the IFIP TC11/WG11. 3 Fourteenth Annual ..., 2000 - seclab.cs.ucdavis.edu
... Depth(n; T), is the number of nodes on the **path** from the **root** to n. The depth of the **root** node is 0 ... Depth(T), is the **maximum** depth of all nodes in the **tree**. ...
Cited by 7 - Related Articles - View as HTML - Web Search

BlueBoX: A **Policy**-Driven, Host-Based Intrusion Detection System - group of 9 »
SN CHARI, PAUC CHENG - ACM Transactions on Information and System Security, 2003 - portal.acm.org

... The **root** of a **tree** corresponds to the **root** of the ... the directory entries of the all
the inodes along the **path**. ... A node in the **tree** may also be associated with a ...
Cited by 37 - Related Articles - Web Search

RDF-QBE: a Semantic Web Building Block - group of 4 »
D Reynolds - HP-Lab, 2003 - hpl.hp.com
... the pattern **tree** constraints starting at the **root** node of ... 2. Performance – **path** length
micro example **path** length RDF ... depth of the RDF-QBE pattern **tree** has no ...
Cited by 5 - Related Articles - View as HTML - Web Search

IP multicast channels: EXPRESS support for large-scale single-source applications - group of 21 »
HW Holbrook, DR Cheriton - ACM SIGCOMM Computer Communication Review, 1999 -
portal.acm.org
... propagated all t.he way to **leaf** hosts. ... distribution **tree**. ... protocols, packets can traverse
routes that are distant from the expected di- rect **path** from source ...
Cited by 266 - Related Articles - Web Search - BL Direct

Packet leashes: a defense against wormhole attacks in wireless networks - group of 23 »
YC Hu, A Perrig, DB Johnson - INFOCOM 2003. Twenty-Second Annual Joint Conference of
the ... - ieeexplore.ieee.org
... **One partial** approach for preventing wormhole attacks might be ... likely exceeding the
network's **maximum** packet size ... B. **Tree**-Authenticated Values The TIK protocol ...
Cited by 94 - Related Articles - Web Search - BL Direct

◄ Goooooooooooogle ►
Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11 12   **Next**

tree path root leaf maximum partial t [Search]

Google Home - About Google - About Google Scholar

©2006 Google

Web   Images   Video^{New!}   News   Maps   **more »**

Google™   tree path root leaf maximum partial tree "acces[Search] Advanced Search
                                                                    Preferences

---

Web Results **1 - 10** of about **122,000** for <u>tree</u> <u>path</u> <u>root</u> <u>leaf</u> <u>maximum</u> <u>partial</u> <u>tree</u> **"access control"**. (0.28 se

<u>Scholarly articles</u> for **tree path root leaf maximum partial tree "access control"**

   <u>Virtual and Dynamic Hierarchical Architecture for ...</u> - Lican - Cited by 12
   <u>NetWare 4 as an example of role-based access control</u> - Epstein - Cited by 3
   <u>Recognizing immediacy in an N-tree hierarchy and its ...</u> - Sandhu - Cited by 7

[PDF] <u>An Effective Spanning **Tree** Algorithm for a Bridged LAN - Advanced ...</u>
File Format: PDF/Adobe Acrobat
a lower **root path** cost is selected to be a **root** port and. the **root path** cost ... tries to create
its **partial** spanning **tree** by transmitting ...
ieeexplore.ieee.org/iel3/5090/13882/00639782.pdf?arnumber=639782 - <u>Similar pages</u>

   [PDF] <u>Two-centre **tree** topologies for metropolitan area networks ...</u>
   File Format: PDF/Adobe Acrobat
   Indexing terms: Merropolitan area network, Binary **tree**, **Path** reliability, Quarternary **tree**, ...
   of a QT in which a **leaf** node in the lower layer (eg, node ...
   ieeexplore.ieee.org/iel1/2191/7663/00317990.pdf?arnumber=317990 - <u>Similar pages</u>

[PDF] <u>VIRTUAL AND DYNAMIC HIERARCHICAL ARCHITECTURE FOR E-SCIENCE GRID</u>
File Format: PDF/Adobe Acrobat
In the VGT there is a **root** virtual. group (denoted by RVG), many **leaf** virtual ... **tree path**,
the VO first adds Animal **partial tree path** to ... **Maximum** of p ...
hpc.sagepub.com/cgi/reprint/17/3/329.pdf - <u>Similar pages</u>

<u>Source Routing and the Spanning-**Tree** Protocol</u>
As a BPDU leaves the **root** bridge, it contains the bridge ID of the **root** bridge, a **path** ...
How **Path** Costs Add Up. In our second example of the spanning-**tree** ...
support.novell.com/techcenter/articles/ana19910801.html - 54k - <u>Cached</u> - <u>Similar pages</u>

<u>Microsoft TechNet: Membership Directory Group Scalability</u>
A subtree search starting at some container below the **root** is called a **partial** subtree
search because it does not include the entire directory **tree**. ...
www.microsoft.com/technet/archive/mcis/memdrscl.mspx - 65k - <u>Cached</u> - <u>Similar pages</u>

<u>Sun ONE Directory Server Administration Guide: Chapter 3 Creating ...</u>
A suffix may be located at the **root** of the directory **tree** where it is sometimes ... A subsuffix
will have the **access control** defined by ACIs on its parent, ...
docs.sun.com/source/816-6698-10/suffixes.html - 131k - <u>Cached</u> - <u>Similar pages</u>

   <u>Chapter 3 Creating Your Directory **Tree**</u>
   Alternatively, select the **root** node of the directory **tree** and then choose the ... You should
   also add **access control** instructions (ACI) attributes to a **root** ...
   docs.sun.com/source/817-7613/suffixes.html - 140k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>Recognizing Immediacy in an N-Tree Hierarchy and Its Application ...</u>

File Format: PDF/Adobe Acrobat
Section V that the **partial** order of Fig. I(b) fails to be an. n-**tree**. III. IMMEDIACY. AND
ACCESS CONTROL. In Section I we outlined the basic reason why ...
doi.ieeecomputersociety.org/10.1109/32.58764 - Similar pages

[PDF] (11) NetWare 4 as an Example of Role-Based **Access Control**
File Format: PDF/Adobe Acrobat
by their complete **path** to the **root**, starting at the **leaf**. For example,. Sally.Finance.Acme is
the complete name of the left-most node in the. **tree**. ...
portal.acm.org/ft_gateway.cfm?id=270187&
type=pdf&coll=&dl=acm&CFID=15151515&CFTOKEN=6... - Similar pages

Intermediate System-to-Intermediate System Protocol [IP Routing ...
Routers use this link-state database to calculate its shortest-**path tree**. ... metric and spans
2 24 per individual link and 2 32 per **path** (**root** to **leaf**). ...
www.cisco.com/en/US/products/ps6599/products_white_paper09186a00800a3e6f.shtml -
111k - Cached - Similar pages

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

---

tree path root leaf maximum partial t [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Google™   Web   Images   Video^{New!}   News   Maps   more »

tree path root leaf maximum partial tree "acces[Search] Advanced Search
                                                           Preferences

---

Web Results **11 - 20** of about **122,000** for <u>tree</u> <u>path</u> <u>root</u> <u>leaf</u> <u>maximum</u> <u>partial</u> <u>tree</u> "<u>access control</u>". (0.17 s

Self-stabilizing Quorum Systems for Reliable Document Access in ...
Assuming that H is true for a **tree** with a **root** excentricity e0 = d, ... the **leaf** sites first get
their correct **partial** paths of the spanning **tree**. ...
www.ici.ro/ici/revista/sic1998_4/art01.html - 70k - Cached - Similar pages

[Paper] Considering Spatial Locality in Ad Hoc Network Multicasting
The group leader/**tree root** is selected as the node that is the first one to send ... then this
node will become a **leaf** node for the new forwarding **path**. ...
www.actapress.com/PDFViewer.aspx?paperId=13256 - Similar pages

SRIRAM: A scalable resilient autonomic mesh
Security and **access control** within SRIRAM is based on digital certificates ... Furthermore,
nodes that are nearer the **root** of the rooted spanning **tree** are ...
www.research.ibm.com/journal/sj/421/verma.html - 56k - Cached - Similar pages

[PDF] Topology Control to Simultaneously Achieve Near-Optimal Node ...
File Format: PDF/Adobe Acrobat - View as HTML
In a balanced binary **tree** consisting of N. nodes, the length of the longest **path** from the
root to a **leaf**. node is O(log N). An empty **tree** is a balanced ...
www.cs.ucr.edu/~neal/non_arxiv/Gelal06Topology.pdf - Similar pages

[PDF] Design of an External Schema Facility to Define and Process ...
File Format: PDF/Adobe Acrobat
on a given **path** back to the **root**. The **tree** traversal functions can be either ... A **leaf** has
level of. zero. A nonleaf node has level 1 plus the **maximum** of ...
portal.acm.org/citation.cfm?doid=319566.319576 - Similar pages

TOP of text, page 2 and following pages,aligned to line
A special olbd, called the redirector, sits at the **root** of the **tree**. ... file is removed the **leaf**
node notifies it's parent node that of file deletion. ...
xrootd.slac.stanford.edu/papers/Scalla-Intro.htm - 129k - Cached - Similar pages

[PDF] A Clustering Scheme for Hierarchical Control in Multi-hop Wireless ...
File Format: PDF/Adobe Acrobat - View as HTML
Hence, the **maximum** number of clusters cre-. ated out of the five **partial** clusters in ...
leaves of the **tree** towards the **root** akin to the post-order traver- ...
www.cs.umd.edu/users/suman/pubs/infocom01.pdf - Similar pages

[PDF] The Cougar Project: A Work-In-Progress Report
File Format: PDF/Adobe Acrobat - View as HTML
and eventually reach the **root**. The cost of computing **partial**. aggregates is negligible
compared ... optimal total cost is a shortest **path tree**. Thus, **tree** ...
www.cs.cornell.edu/~yao/papers/SigmodRecord03.pdf - Similar pages

[PDF] Protection of multicast scalable video by secret sharing ...
File Format: PDF/Adobe Acrobat - View as HTML
The elements of the set owned by a member are those found along the directed **path** from.
the member to the **root** of the **tree**, including the **leaf** set and the ...
www.sci.brooklyn.cuny.edu/~sdexter/Pubs/spie03.pdf - Similar pages

---

[PDF] <u>A Scalable Distributed Information Management System</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
maximum node stress: whereas in a single aggregation **tree** ap-. proach, the **root** and the
intermediate nodes pass around more mes-. sages than **leaf** nodes, ...
www.cs.utexas.edu/~ypraveen/papers/sdims-sigcomm.pdf - <u>Similar pages</u>

◀ Gooooooooooogle ▶

Result Page: **Previous** 1 2 <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u><u>11</u>   **Next**

tree path root leaf maximum partial t [Search]

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google

Google™

Web   Images   Video^New!   News   Maps   more »

tree path root leaf maximum partial tree "Shing[Search] Advanced Search
Preferences

Web

Tip: Try removing quotes from your search to get more results.

Your search - **tree path root leaf maximum partial tree "Shingo Fukui"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Google Home - Advertising Programs - Business Solutions - About Google

Web   Images   Video^{New!}   News   Maps   **more »**

Google™   tree path root leaf "Shingo Fukui"   [Search]   Advanced Search
                                                                Preferences

---

Web

Tip: Try removing quotes from your search to get more results.

Your search - **tree path root leaf "Shingo Fukui"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Google Home - Advertising Programs - Business Solutions - About Google